

The pickup mounted Duplex Bin Washer is a mobile bin washer designed for the cleaning of both domestic and commercial bins. This unit will provide the operator with the means to achieve a high rate of productivity whilst ensuring compliance with the Environment Agency (EA) and local water authority regulations. These washers have the capability of cleaning two 120L, 240L or 360L wheelie bins at once or any commercial-size bins. The Duplex fully recycles the water used in the cleaning process running through a 4-stage filtration to 300 microns. They come with a Honda petrol engine and a 2500 psi - 150 BAR water pump with a hand lance for auxiliary washing tasks.

## **Specifications:**

- Tank capacity: 440L

Green Cleen

- High-pressure orbital wash heads: 30L/pm

Wheelie Bin Cleaning

- High-pressure hand lance: 30L/pm
- Multi-stage filtration: 300 microns

### **Features:**

- Compact machine
- High-pressure wash system
- Hydraulic lift minimal physical effort required
- Orbital high-pressure wash heads
- Multistage filtration to 300 microns
- High-pressure hand lance for auxiliary washing
- Suitable for any single cab pickup
- competitively priced
- CE, WRAS & Safe Contractor approved
  - facebook.com/GreenCleenUKLtd
  - twitter.com/GreenCleenLtd
  - linkedin.com/company/greencleen-ltd
  - instagram.com/greencleenukltd
  - youtube.com/c/Greencleen

# Green Cleen (UK) Ltd

1-2 Ladfordfields Industrial Park, Seighford, ST18 9QE





# Approved pickup trucks for Green Cleen Bin Washers

If you are considering the use of any chassis that is not specified below then you should first check the specification with Green Cleen to ascertain its suitability or any additional fitting costs that may be incurred.





Ford Ranger

Isuzu D-Max


Below is a list of dimensions that need to be taken into consideration when looking for a suitable pickup vehicle on which to mount our bin washing equipment.

- 1. Load space length minimum 2100mm
- 2. Load space width between wheel arches minimum 1000mm
- 3. Width between flanges of tailgate minimum 1350mm
- 4. Load space height (at rear of vehicle) maximum 800mm
- 5. Payload minimum 950Kg
- 6. The pickup must NOT have a rubber load liner. Hard liners or Linux protective paint is allowed.
- 7. If a tow bar is fitted this may have to be removed. This depends on how far it projects from the rear.
- 8. The tailgate MUST be removed prior to bringing the vehicle to Green Cleen for machine fitting.

Please note, any chassis supplied to Green Cleen must be without any beaver tail, box body, extension frame, tail gate, tipper body or tow bar. It is the Franchisees responsibility to ensure that the chassis is supplied to Green Cleen in a roadworthy condition with all chassis parts and lights intact and painted white in colour fitting the Green Cleen vehicle wrap. If you require any further information or clarification as to the suitability or costs of fitting the Green Cleen range, then please do not hesitate to contact us.


## **Green Cleen (UK) Limited**

Units 1 - 2 Ladfordfields Industrial Park, Seighford, Staffordshire, ST18 9QE



# Green Cleen Duplex -Zer0° Bin Washer - enclosed van mounted







The enclosed van mounted Duplex **-Zero**° is a mobile bin washer designed for the cleaning of both domestic and commercial bins. This unit will provide the operator with the means to achieve a high rate of productivity whilst ensuring compliance with the Environment Agency (EA) and local water authority regulations. These washers have the capability of cleaning two 120L, 240L or 360L wheelie bins at once or any commercial-size bins. The Duplex - Zer0° fully recycles all water used in the bin cleaning process running through a 4-stage filtration to 300 microns. This unit comes with a Honda petrol engine and a 2500 psi 200 BAR water pump with a hand lance for auxiliary washing tasks.

## **Specifications:**

- Tank capacity: 440L 600L
- High-pressure orbital wash heads: 30L/pm
- High-pressure hand lance: 30L/pm
- Multi-stage filtration: 300 microns



### **Features:**

- Compact machine
- High-pressure wash system
- Hydraulic lift minimal physical effort required
- Orbital high-pressure wash heads
- Multistage filtration to 300 microns
- High-pressure hand lance for auxiliary washing
- Suitable for any high-top vans
- competitively priced
- CE, WRAS & Safe Contractor approved
- facebook.com/GreenCleenUKLtd
  - twitter.com/GreenCleenLtd
- Iinkedin.com/company/greencleen-ltd
- 🧾 instagram.com/greencleenukltd
- youtube.com/c/Greencleen

# Green Cleen (UK) Ltd

1-2 Ladfordfields Industrial Park, Seighford, Stafford Staffordshire ST18 9QE






# Approved high-top vans for Green Cleen Bin Washers



If you are considering the use of any chassis that is not specified below then you should first check the specification with Green Cleen to ascertain its suitability or any additional fitting costs that may be incurred.



Below is a list of dimensions that need to be taken into consideration when looking for a suitable enclosed van in which to mount the Duplex -Zero<sup>o</sup> Bin Washer.

- 1. Load space length minimum 2700mm
- 3. Load space width minimum 1560mm
- 4. Load space height minimum 800mm
- 5. Payload minimum 1000Kg
- 6. If a tow bar is fitted this may have to be removed. This depends on how far it projects from the rear.

We recommend if buying from new that you ask the manufacturer to treat the load space making it watertight. Those in cold countries might want to consider also having a heating system fitted by the manufacturer. It is the franchisee's responsibility to ensure that the chassis is supplied to Green Cleen in a roadworthy condition with all chassis parts and lights intact and painted white in colour.

If you require any further information or clarification as to the suitability or cost of fitting, please contact us.

## Green Cleen (UK) Limited

Units 1 - 2 Ladfordfields Industrial Park, Seighford, Staffordshire, ST18 9QE

🗐 0800 0150880 🗧 info@greencleen.com



# Green Cleen (UK) Ltd

Commercial Bin Cleaning Equipment



# **Duplex Static**



The "Duplex Static" is a steel frame mounted Bin Washer designed for the cleaning of commercial 2 or 4wheeled bins. This unit will provide the operator with the means to achieve a high rate of productivity, whilst ensuring compliance with the Environment Agency (EA) and Water Authority regulations. These bin washers have the capability of cleaning two 120, 240 or 360-litre wheelie bins at once or any plastic/metal 4-wheeled bin. The Duplex Static offers the option of fully recycling all of the water used in the bin cleaning process or running continuous fresh water. The static unit can be powered by a Honda engine or connected to 3-phase electricity.

# **Specifications:**

| 2 | Tank capacity:          |        | 440 - 600 L |          |
|---|-------------------------|--------|-------------|----------|
| × | High-pressure wash      | heads: | 30L/min     | 3500 psi |
| * | High-pressure hand      | lance: | 30L/min     | 3500 psi |
| 2 | Multi-stage filtration: |        | 300 micr    |          |



## Features:

- Compact machine
- High-pressure wash system
- Hydraulic lift minimal physical effort required
- Rotating high-pressure wash heads
- multistage filtration to 300 microns
- High-pressure hand lance for auxiliary washing
- Suitable for Hospitals & Waste Contractors
- competitively priced
- CE, WRAS & Safe Contractor Approved

# Green Cleen (UK) Ltd

0800 0150880 sales@greencleen.com www.greencleen.com

